

VIEWPOINT

Sub-Saharan Africa is experiencing a food-related health risk problem in informal food environments: An urgent need for science and policy actions

Richard A. Nyiawung^{a *}
University of Waterloo

Joachim D. Matondo^b and
Anastazia N. Bikuba^c
Sokoine University of Agriculture

Victoria Ndinelago Erasmus^d
International University of Management

Evodius W. Rutta^e
MAVUNOLAB-The Postharvest
Innovation Centre

Rosemary Tegekanya^f
Sokoine University of Agriculture

Shirley Kansabe^g
Kyambogo University, and Makerere
University School of Public Health

Gery Wamba^h
Ministry of Livestock, Fisheries and Animal
Industries, Cameroon

Neville N. Suhⁱ
Africa Rice Center (AfricaRice)

Norbert N. Ngwang^j
Alliance for Sustainable Development
(ASDEV)

Samuel Abalansa^k and Md. Ruyel Miah^l
University of Waterloo

Abdul-Rahim Abdulai^m
University of Alberta

Submitted June 12, 2026 / Accepted June 15, 2026 / Published online September 20, 2026

Citation: Nyiawung, R. A., Matondo, J. D., Bikuba, A. N., Erasmus, V. N., Rutta, E. W., Tegekanya, R., Kansabe, S., Wamba, G., Suh, N. N., Ngwang, N. N., Abalansa, S., Miah, M. R., & Abdulai, A.-R. (2026). Sub-Saharan Africa is experiencing a food-related health risk problem in informal food environments: An urgent need for science and policy actions [Viewpoint]. *Journal of Agriculture, Food Systems, and Community Development*. Advance online publication. <https://doi.org/10.5304/jafscd.2026.154.032>

Copyright © 2026 by the Authors. Published by the Lyson Center for Civic Agriculture and Food Systems. Open access under CC BY license.

Introduction

Sub-Saharan Africa's (SSA) food systems have been transformed by science-driven gains in productivity and market access, yet a health crisis is intensifying within its vast informal food environments. Agricultural research and technology investments have

strengthened smallholder systems (Shilomboleni & De Plaen, 2019) and expanded food availability (Clark & Hobbs, 2023), while rising socioeconomic conditions escalate nutritional demands (Blekking et al., 2022; Djurfeldt, 2015) and propel calls for dietary diversity (Paulo et al., 2024; Usman & Haile, 2022). However, these advances are harshly undermined by the burden of foodborne diseases. An

See author details and disclosures on next page.

estimated 91 million people in Africa fall ill annually from food-related illnesses, generating over US\$15 billion in medical costs and 137,000 deaths (Nigussie et al., 2025; World Health Organization [WHO] Africa, 2019), with downstream economic losses in tourism (Chen et al., 2021). Agrochemical residues, poor hygiene, and weak legislative enforcement in Africa's largely informal food sectors drive this burden.

Here, we synthesize health threats in informal food environments and call for an urgent agenda to protect public health across SSA. This viewpoint provides a snapshot of health-risk exposures across

the three dominant value chains: fruits and vegetables, livestock, and aquatic foods. It emphasizes that while food availability, affordability and accessibility reduce food insecurity, they mask uncontrolled hazards. Addressing this demands research to characterize risks, quantify health and economic burdens, and develop context-specific interventions. Integrated science-policy action must follow to safeguard populations relying on these environments.

Keywords

health risk, food safety, policy, informal food environment, sub-Saharan Africa

Food Chain Hazard Profile in SSA

Informal food chains in SSA supply most urban households, but the associated production and vending practices introduce biological and chemical hazards, undermining nutrition, causing preventa-

^{a*} *Corresponding author:* Richard A. Nyiawung, School of Environment, Enterprise and Development (SEED), University of Waterloo, Waterloo, Ontario, Canada; rnyiawun@uwaterloo.ca;

 <https://orcid.org/0000-0003-3232-2154>

^b Joachim D. Matondo, Department of Food Science and Agro-processing, Sokoine University of Agriculture, Morogoro, Tanzania; joachim.matondo@sua.ac.tz;

 <https://orcid.org/0000-0002-3982-4600>

^c Anastazia N. Bikuba, Department of Food Science and Agro-processing, Sokoine University of Agriculture, Morogoro, Tanzania; anastazia.bikuba@sua.ac.tz;

 <https://orcid.org/0000-0001-6332-0712>

^d Victoria Ndinelago Erasmus, Swakopmund Research, Conference and Training Centre, the International University of Management, Namibia; erasmus.victoria@yahoo.com;

 <https://orcid.org/0000-0001-9330-7922>

^e Evodius W. Rutta, MAVUNOLAB—The Postharvest Innovation Centre, Morogoro, Tanzania;

erutta@mavunolab.org;

^f Rosemary Tegekanya, Department of Food Science and Agro-processing, Sokoine University of Agriculture, Morogoro, Tanzania; tegekanyarosemary@gmail.com;

 <https://orcid.org/0009-0002-8328-4207>

^g Shirley Kansabe, Department of Nutritional Science and Dietetics, Kyambogo University, Kampala, Uganda; and Department of Health Policy, Planning and Management, Makerere University School of Public Health, Kampala, Uganda; kansabe.shirley@gmail.com;

 <https://orcid.org/0000-0002-4354-5495>

^h Gery Wamba, Directorate of Veterinary Services, Ministry of Livestock, Fisheries and Animal Industries, Yaounde, Cameroon; gerywamba@gmail.com

ⁱ Neville N. Suh, Africa Rice Center (AfricaRice), Bouaké, Côte d'Ivoire; suhneville@gmail.com;

 <https://orcid.org/0000-0003-3466-6815>

^j Norbert N. Ngwang, Alliance for Sustainable Development (ASDEV), Cameroon; ngwangnorbert@gmail.com

^k Samuel Abalansa, School of Environment, Resources and Sustainability (SERS), University of Waterloo, Canada; aabalansa@uwaterloo.ca;

 <https://orcid.org/0000-0003-0715-9164>

^l Md. Ruyel Miah, School of Environment, Enterprise and Development (SEED), University of Waterloo, Canada; mdruyel.miah@uwaterloo.ca

^m Abdul-Rahim Abdulai, School of Urban and Regional Planning, University of Alberta, Edmonton, Canada; abdulai1@ualberta.ca;

 <https://orcid.org/0000-0003-4699-2407>

Funding Disclosure

This work received no external funding.


Conflict of Interest Disclosure

The authors declare no financial or other conflicts of interest relevant to this manuscript

Author Note

This viewpoint was developed from initial discussion opportunities with team members at the Agriculture, Nutrition, and Health (ANH) Academy Week in Dar es Salaam, Tanzania, in 2025.

Figure 1. Graphical Representation of the Health-Risk Exposures across Three Key Food System in Informal Food Environments



ble illness, and exposing structural failures that require integrated policy action (see Figure 1).

Specifically, in fruits and vegetables, pesticide overuse leaves residues. In Uganda, 95.6% of samples contained organophosphates and carbamates (Ssemugabo et al., 2022); in central Ethiopia, 45–60% exceeded EU limits (Dinede et al., 2023). In the post-harvest stage, roadside display on bare ground and juice processing in unsanitary environments (where 82.4% of Ethiopian vendors lacked gloves and 58.8% of sites were unsanitary), fecal pathogens such as *Salmonella*, *Staphylococcus aureus*, and *E. coli* were introduced (Ebrahim & Wondimagegn, 2025). Parasites like *Giardia lamblia* contaminate 33.3% of market vegetables. Consequently, these hazards suppress the average consumption of fresh vegetables to 284 grams/day/person, well below the WHO 400 g target, underlining the failure of regulatory oversight (Okekunle et al., 2024).

Similarly, livestock value chains harbor zoonotic threats: gastrointestinal nematodes infect 92.9% of Ethiopian animals (Kimeli et al., 2025), and anthrax and Q fever attack rates of 54.4 per 1,000 and 345.4 per 1,000, with a 345.4 per 1,000 fatality rate, signal acute spillover (Ateudjieu et al., 2023). Over 70% of medically important anti-

microbials used in husbandry drives up to 62.7% resistance of *E. coli* in Ugandan poultry (Elbehiry & Marzouk, 2025). Moreover, informal slaughter amplifies contamination: only 3 of 36 Nigerian states have standard abattoirs; handlers work without training or protective equipment; and unsanitary surfaces elevate *Salmonella* and *E. coli* (Christiana Cudjoe et al., 2022; Ovuru et al., 2024). Additionally, raw milk consumption by 34.46% of Rwandan farmers directly transmits *Brucella*, while undercooked meat transmits *Taenia solium*, perpetuating disease cycles amid weak enforcement (Christiana Cudjoe et al., 2022; Munyaneza et al., 2025).

Furthermore, aquatic foods are prone to spoilage, adulteration, and chemical contamination. Formalin was detected in all Ghanaian fish species sampled, ranging from 0.174 to 3.710 microgram (μg)/g (Asare-Donkor et al., 2018). Traditional smoking generates carcinogenic PAHs; Senegalese samples reach benzo(a)pyrene 33 $\mu\text{g}/\text{kg}$ and total PAHs 1082.3 $\mu\text{g}/\text{kg}$ (while the EU limits are 2 and 12 $\mu\text{g}/\text{kg}$) (Diop et al., 2023). Lake Victoria sardines have median cadmium levels of 0.081 mg/kg and lead levels of 0.012 mg/kg, yet 96% of Tanzanians remain unaware of contamination (Venant et al., 2025). Organochlorine metabolites account for

55–60% of pesticide loads in Ghana, elevating cancer risk (Adokiya et al., 2025). Consequently, the absence of cold chains, open-air drying, and weak regulations expose fish products to dust, droppings, and mold, while chemical additives compound the threat.

Factors Associated with Health Risk Exposures in SSA

Informal food environments in SSA supply most of people's daily sustenance, yet these environments operate with regulatory neglect, infrastructural collapse, and socioeconomic entrapment that systematically generate health risks. This section dissects these interconnected drivers, revealing an imperative for integrated, evidence-based policy intervention.

Poor Food Safety Procedures, Regulations, and Enforcement

Regulatory frameworks remain profoundly fragmented. For example, Namibia enforces Hazard Analysis and Critical Control Points (HACCP) systems exclusively in formal fish processing, leaving compliance in informal operations to vendor discretion (Haimbala, 2021). Heavy-metal testing covers commercial seafood but bypasses small-scale and informal harvests, despite documented contamination risks (Erasmus et al., 2018). In other contexts, weak agrochemical oversight introduces chemical residues directly into food chains, precipitating health crises across the region (Malhat et al., 2025). Critically, inspection regimes across the region target export and import commodities while neglecting the domestic informal markets that feed the vast majority of the population. This regulatory asymmetry creates a de facto dual system in which local consumers bear disproportionate exposure to unmonitored hazards.

Inadequate Infrastructure for the Local Food Environment

Infrastructure gaps magnify these vulnerabilities. For example, perishable fruit and vegetable value chains lose up to 72% of tomato harvests due to the absence of cold storage, a spoilage rate that simultaneously destroys nutrition and fosters mycotoxin-producing fungi (*Aspergillus*, *Penicillium*,

and *Fusarium*) in the retained fraction (Christiana Cudjoe et al., 2022; Nigussie et al., 2025; Owino et al., 2025). Aquatic foods suffer parallel post-harvest decay and become vectors for *Vibrio cholerae* and heavy metals when processed with contaminated water or ice. The livestock sector, which channels an estimated 70–80% of meat through informal markets, epitomizes systemic failure: unregulated slaughtering occurs without reliable veterinary inspection, water, or waste disposal, often under trees or in dilapidated structures where floors go uncleaned due to water scarcity (Abdullahi et al., 2025; Hannah et al., 2025; Hossain et al., 2025). These commodity-specific risks converge in marketplaces that uniformly lack potable water, sanitation, and waste management. This foundational deficit, affecting over 80% of the population, transforms water-borne pathogens into foodborne threats and drains an estimated 5% of regional GDP annually (Chirwa & Nyong, 2025; Dos Santos et al., 2017; Sheehama & Singh, 2025).

Socioeconomic Constraints on Food Safety

Socioeconomic realities lock these hazards in place. In particular, most informal food actors have limited formal education and minimal access to food safety training, thereby entrenching inherited handling practices that are often harmful (Adhikari & Struwig, 2024; Salamandane et al., 2023; Wallace et al., 2022). Consumer preference for informal markets, driven by accessibility, affordability, and cultural familiarity, sustains the demand (Kakaza & Naude, 2025; Kuboka et al., 2024). Yet vendors' marginal incomes preclude their investment in cold storage, potable water, or hygienic stalls. Formal market entry—carrying registration fees, taxes, and the spectre of punitive inspections—is perceived as a threat to fragile livelihoods, pushing actors deeper into unregulated spaces. Consequently, a vicious cycle that crystallizes infrastructure scarcity forces reliance on unsafe water and ambient storage, fueling spoilage and pathogen proliferation, and the resulting health and economic losses further impoverish vendors. The impoverishment locks them out of the investments needed for safety, with enforcement approaches that penalize rather than support cement informality.

Setting the Agenda for Food Safety Priorities in SSA

Addressing this challenge of foodborne diseases demands evidence-based interventions tailored to the realities of these complex food environments. To this end, we identify four urgent and interconnected research priorities.

First, researchers must characterize the distinct health risks embedded in diverse informal settings by shifting from top-down assessments to participatory methods, such as participatory action research, storytelling, and participatory GIS mapping, that position informal actors as co-producers of knowledge and capture contextual nuances (Barker et al., 2010). Second, a systems lens is essential for moving beyond siloed, vendor-focused studies. Whole-chain approaches, including farm-to-fork and One Health frameworks, can reveal how practices from producers to consumers interact, equipping policymakers with holistic insights to design adaptable, impactful regulations (Brouwer et al., 2020; Rodríguez-Melcón et al., 2024).

Third, context-specific investigations on governance must dissect the incentives and institutional failures that undermine enforcement and compliance. Tracing outbreaks and upholding standards remain exceedingly difficult, and draconian enforcement often backfires. Place-based

research should uncover how to foster environments that encourage systemwide ownership of safety regulations, thereby guiding officials toward interventions with genuine stakeholder buy-in. Finally, research must drive the co-design and adoption of appropriate infrastructure. Deploying contextually relevant solar-powered cold storage, dryers, and preservation facilities in off-grid communities, where most aquatic foods, fruits, and vegetables originate, can radically reduce post-harvest losses and safeguard public health. Collectively, these integrated efforts will empower decision-makers to transform food safety in Africa's informal markets.

Conclusion

Overall, the health risks to consumers and food system actors remain an understudied issue in SSA. We posit the need for investments and support for research programs that extend the existing knowledge base and produce policy-relevant insights on the different forms of risk in the local food environment in SSA. Such research frontiers support effective policymaking that responds to the unique needs of actors in informal food environments and will help trace outbreaks and minimize food-related illnesses and vulnerabilities in SSA.



References

- Abdullahi, Y. B., Ahmed, M. M., Abdi, Y. H., Bashir, S. G., Ahmed, N. I., & Abdi, M. S. (2025). The economic and public health burden of foodborne illness in Somalia: Prevalence, costs, and policy imperatives. *Public Health Challenges*, 4(3), Article e70097. <https://doi.org/10.1002/pubh2.70097>
- Adhikari, S., & Struwig, M. (2024). Concentrations and health risks of selected elements in leafy vegetables: A comparison between roadside open-air markets and large stores in Johannesburg, South Africa. *Environmental Monitoring and Assessment*, 196, Article 170. <https://doi.org/10.1007/s10661-023-12283-6>
- Adokiya, M. N., Orou-Seko, A., Agbohessi, P. T., Wezena, C. A., Adong, J. W., Napps, A.-L. F., Toko, I. I., Ndago, J. A., & Achana, F. (2025). Pesticide contamination and associated health risks in fish from Libga and Builpela reservoirs, Northern Ghana. *BMC Environmental Science*, 2, Article 5. <https://doi.org/10.1186/s44329-025-00020-y>
- Asare-Donkor, N. K., Adaagoam, R. A., Voegborlo, R. B., & Adimado, A. A. (2018). Risk assessment of Kumasi Metropolis population in Ghana through consumption of fish contaminated with formaldehyde. *Journal of Toxicology*, 2018, Article 4785031. <https://doi.org/10.1155/2018/4785031>
- Ateudjieu, J., Siewe Fodjo, J. N., Ambomatei, C., Tchio-Nighie, K. H., & Zoung Kanyi Bissek, A.-C. (2023). Zoonotic diseases in Sub-Saharan Africa: A systematic review and meta-analysis. *Zoonotic Diseases*, 3(4), 251–265. <https://doi.org/10.3390/zoonoticdis3040021>

- Barker, G. C., Bayley, C., Cassidy, A., French, S., Hart, A., Malakar, P. K., Maule, J., Petkov, M., —& Shepherd, R. (2010). Can a participatory approach contribute to food chain risk analysis? *Risk Analysis: An International Journal*, 30(5), 766–781. <https://doi.org/10.1111/j.1539-6924.2010.01385.x>
- Blekking, J., Giroux, S., Waldman, K., Battersby, J., Tuholske, C., Robeson, S. M., & Siame, G. (2022). The impacts of climate change and urbanization on food retailers in urban sub-Saharan Africa. *Current Opinion in Environmental Sustainability*, 55, Article 101169. <https://doi.org/10.1016/j.cosust.2022.101169>
- Brouwer, I. D., McDermott, J., & Ruben, R. (2020). Food systems everywhere: Improving relevance in practice. *Global Food Security*, 26, Article 100398. <https://doi.org/10.1016/j.gfs.2020.100398>
- Chen, S., Law, R., & Zhang, M. (2021). Review of research on tourism-related diseases. *Asia Pacific Journal of Tourism Research*, 26(1), 44–58. <https://doi.org/10.1080/10941665.2020.1805478>
- Chirwa, M. J., & Nyong, A. (2025, March 22). *World Water Day 2025: Preserving Africa's water resources*. African Development Bank Group [AfDB]. <https://www.afdb.org/en/news-and-events/world-water-day-2025-preserving-africas-water-resources-81976>
- Christiana Cudjoe, D. C., Balali, G. I., Titus, O. O., Osafo, R., & Taufiq, M. (2022). Food safety in Sub-Sahara Africa, an insight into Ghana and Nigeria. *Environmental Health Insights*, 16, Article 11786302221142484. <https://doi.org/10.1177/11786302221142484>
- Clark, L. F., & Hobbs, J. E. (2023). Missing the bigger picture? Integrating supply chains, consumers and agro-processors into crop improvement strategies in sub-Saharan Africa. *Journal of Crop Improvement*, 37(2), 229–252. <https://doi.org/10.1080/15427528.2022.2075513>
- Dinede, G., Bihon, W., Gazu, L., Foukmeniok Mbokou, S., Girma, S., Srinivasan, R., Roothaert, R., Grace, D., Gashaw, H., & Knight-Jones, T. J. D. (2023). Assessment of pesticide residues in vegetables produced in central and eastern Ethiopia. *Frontiers in Sustainable Food Systems*, 7, Article 1143753. <https://doi.org/10.3389/fsufs.2023.1143753>
- Diop, E. H. M., Ndiaye, B., Sow, A., Sambe, F. M., Sall, M., & Thiam, M. S. (2023). Polycyclic aromatic hydrocarbon (PAH) contents of four species of smoked fish from different sites in Senegal. *International Journal of Analytical Chemistry*, 2023, Article 2931615. <https://doi.org/10.1155/2023/2931615>
- Djurfeldt, A. A. (2015). Urbanization and linkages to smallholder farming in sub-Saharan Africa: Implications for food security. *Global Food Security*, 4, 1–7. <https://doi.org/10.1016/j.gfs.2014.08.002>
- Dos Santos, S., Adams, E. A., Neville, G., Wada, Y., de Sherbinin, A., Bernhardt, E. M., & Adamo, S. B. (2017). Urban growth and water access in sub-Saharan Africa: Progress, challenges, and emerging research directions. *Science of the Total Environment*, 607–608, 497–508. <https://doi.org/10.1016/j.scitotenv.2017.06.157>
- Ebrahim, H., & Wondimagegn, M. K. (2025). Assessment of microbiological quality of some selected street vended foods, vendor's safety practices, knowledge, and attitudes in Dessie Town, Ethiopia. *Scientific Reports*, 15, Article 36886. <https://doi.org/10.1038/s41598-025-20971-1>
- Elbehiry, A., & Marzouk, E. (2025). From farm to fork: Antimicrobial-resistant bacterial pathogens in livestock production and the food chain. *Veterinary Sciences*, 12(9), Article 862. <https://doi.org/10.3390/vetsci12090862>
- Erasmus, V. N., Hamutenya, S., Iitembu, J. A., & Gamatham, J. C. (2018). Mercury concentrations in muscles and liver tissues of Cape monkfish (*Lophius vomerinus*) from the Northern Benguela. Namibia. *Marine Pollution Bulletin*, 135, 1101–1106. <https://doi.org/10.1016/j.marpolbul.2018.08.037>
- Haimbala, T. (2021). Namibia marine fisheries sector—Current state and future opportunities for investment. *International Journal of Science and Research Publications*, 11(10), 1–14. <https://doi.org/10.29322/IJSRP.11.10.2021.p11802>
- Hannah, C., Blekking, J., Davies, J., Battersby, J., Chilenga, A., Kabuya, D., & Toriro, P. (2025). Urban African food systems as sites of challenges and opportunities for household food equity and resilience. *Ecology and Society*, 30(3), Article 28. <https://doi.org/10.5751/ES-16259-300328>
- Hossain, M. A. S., Ibrahim, N., & Barnett, K. N. (2025). Hygiene practices in slaughterhouses and public health risk: A scoping review. *PLoS One*, 20(11), Article e0334225. <https://doi.org/10.1371/journal.pone.0334225>
- Kakaza, N., & Naude, M. J. (2025). The role and position of informal street vendors in the Onderberg district banana value chain. *Agrekon*, 64(1), 12–31. <https://doi.org/10.1080/03031853.2024.2441142>

- Kimeli, P., Mwacalimba, K., Tiernan, R., Mijten, E., Miroshnychenko, T., & Poulsen Nautrup, B. (2025). Important diseases of small ruminants in sub-Saharan Africa: A review with a focus on current strategies for treatment and control in smallholder systems. *Animals*, 15(5), Article 706. <https://doi.org/10.3390/ani15050706>
- Kuboka, M., Grace, D., Artursson, K., Lindahl, J., Carlsson, G., & Mutua, F. (2024). Food safety in informal public markets in Kenya: Perceptions of stakeholders in the food chain. *Frontiers in Sustainable Food Systems*, 8, Article 1411318. <https://doi.org/10.3389/fsufs.2024.1411318>
- Malhat, F., Abdel-Megeed, M., Saber, E.-S., Shokr, S. A. S., & Saber, A. N. (2025). Monitoring and risk assessment of pesticide residues in bananas: Insights from Egypt. *Journal of Food Composition and Analysis*, 143, Article 107610. <https://doi.org/10.1016/j.jfca.2025.107610>
- Munyaneza, C., Bizimana, F., Mukumbo, F., Gatesi, S., Sibomana, E., Munyampuhwe, S., & Dutuze, M. F. (2025). Knowledge, attitudes, practices (KAP), and risk factors toward zoonotic diseases among smallholder livestock farmers in Bugesera district of Rwanda. *Frontiers in Public Health*, 13, Article 1569682. <https://doi.org/10.3389/fpubh.2025.1569682>
- Nigussie, A. G., Vande Velde, F., Sarba, E. J., Kumsa, B., & Gabriel, S. (2025). African abattoirs: A scoping review of practices, factors influencing implementation of good practices, and recommended solutions for improvement. *BMC Veterinary Research*, 21, Article 415. <https://doi.org/10.1186/s12917-025-04743-7>
- Okekunle, A. P., Asowata, O. J., Akpa, O. M., Fakunle, A. G., Chikowore, T., Mohamed, S. F., Obiako, R., Komolafe, M., Osaigbovo, G. O., Ogbale, G., Arulogun, O., Sarfo, F. S., Wahab, K., Owolabi, L., Akinyemi, J., Akpalu, A., Uvere, E., Akinyemi, R., Jenkins, C., ... Owolabi, M. (2024). Factors associated with frequency of fruit and vegetable consumption among selected sub-Saharan African populations: Evidence from the Cardiovascular H3Africa Innovation Resource Project. *International Journal of Epidemiology*, 53(1), Article dyad171. <https://doi.org/10.1093/ije/dyad171>
- Ovuru, K. F., Izah, S. C., Ogidi, O. I., Imarhiagbe, O., & Ogwu, M. C. (2024). Slaughterhouse facilities in developing nations: Sanitation and hygiene practices, microbial contaminants and sustainable management system. *Food Science and Biotechnology*, 33, 519–537. <https://doi.org/10.1007/s10068-023-01406-x>
- Owino, W., Kahenya, P., Wafula, E., & Otieno, G. (2025). Food loss and waste reduction in specific fruit and vegetable value chains in Eastern Africa. *Foods*, 14(22), Article 3938. <https://doi.org/10.3390/foods14223938>
- Paulo, H. A., Andrew, J., Luoga, P., Omary, H., Chombo, S., Mbishi, J. V., & Addo, I. Y. (2024). Minimum dietary diversity behaviour among children aged 6 to 24 months and their determinants: Insights from 31 Sub-Saharan African (SSA) countries. *BMC Nutrition*, 10, Article 160. <https://doi.org/10.1186/s40795-024-00967-2>
- Rodríguez-Melcón, C., Alonso-Calleja, C., & Capita, R. (2024). The One Health approach in food safety: Challenges and opportunities. *Food Frontiers*, 5(5), 1837–1865. <https://doi.org/10.1002/fft2.458>
- Salamandane, A., Malfeito-Ferreira, M., & Brito, L. (2023). The socioeconomic factors of street food vending in developing countries and its implications for public health: A systematic review. *Foods*, 12(20), Article 3774. <https://doi.org/10.3390/foods12203774>
- Sheehama, W. L. N., & Singh, T. (2025). Food safety in informal markets: How knowledge and attitudes influence vendor practices in Namibia. *International Journal of Environmental Research and Public Health*, 22(4), Article 631. <https://doi.org/10.3390/ijerph22040631>
- Shilomboleni, H., & De Plaen, R. (2019). Scaling up research-for-development innovations in food and agricultural systems. *Development in Practice*, 29(6), 723–734. <https://doi.org/10.1080/09614524.2019.1590531>
- Ssemugabo, C., Bradman, A., Ssempebwa, J. C., Sillé, F., & Guwatudde, D. (2022). Pesticide residues in fresh fruit and vegetables from farm to fork in the Kampala Metropolitan Area, Uganda. *Environmental Health Insights*, 16, Article 1178630222111866. <https://doi.org/10.1177/1178630222111866>
- Usman, M. A., & Haile, M. G. (2022). Market access, household dietary diversity and food security: Evidence from Eastern Africa. *Food Policy*, 113, Article 102374. <https://doi.org/10.1016/j.foodpol.2022.102374>
- Venant, H. K., Lwetoijera, D. W., & Kassim, N. (2025). Community awareness and health risk of heavy metals through consumption of sardine (*Rastrineobola argentea*) from Lake Victoria, Tanzania. *Food Science & Nutrition*, 13(9), Article e70898. <https://doi.org/10.1002/fsn3.70898>

Wallace, F., Mittal, N., Lambertini, E., & Nordhagen, S. (2022). Vendor knowledge, attitudes, and practices related to food safety in low- and middle-income countries: A scoping review. *Journal of Food Protection*, 85(7), 1069–1078.

<https://doi.org/10.4315/JFP-21-439>

World Health Organization [WHO] Africa. (2019, June 7). *First-ever World Food Safety Day elevates attention to dangerous foodborne diseases in Africa* [Press release]. <https://www.afro.who.int/news/first-ever-world-food-safety-day-elevates-attention-dangerous-foodborne-diseases-africa>